

Krix Dynamix On-Wall Speaker
Product Specifications



Krix Dynamix High Performance Compact On-Wall Speaker

Krix Dynamix On-Wall Speaker

Product Specifications



The Krix Dynamix loudspeaker is a wedge shaped design based around the highly respected and more conventional Equinox bookshelf speaker. This wedge shape has proved very successful for Krix in its Commercial Cinema surround sound applications. The angled front baffle allows the speaker to be mounted up higher in the room whilst maintaining excellent sound dispersion to the listening positions.

The back of the Dynamix cabinet is designed to mount flat against the wall using the 'key hook' style mounting plate located on the rear baffle, or it may be mounted from the ceiling using a more conventional bracket. The front ported design of the Dynamix eliminates the 'boomy' bass quality often experienced when using speakers with rear ports.

The tweeter used in the Krix Dynamix is the same high quality tweeter as that used in the Krix Equinox, Acoustix, Apex, Phoenix, Harmonix, Graphix and Vortex speakers – so you can combine these different Krix speakers and achieve precise timbral matching in your surround sound system. The Krix Dynamix is the perfect choice for use in high quality surround applications when high fidelity dynamic reproduction is desired.

Krix Dynamix On-Wall Speaker Specifications.

Frequency Range: 45Hz – 20kHz in room response.

Power Handling: Maximum 100 watts RMS amplifier power.

Sensitivity: 88dB for 2.83 Volts at 1 metre.

Configuration: 5 inch 2-way.

Bass Driver: 5" doped paper curvilinear cone with cast aluminium basket, 1" voice coil wound on high powered aluminium former, with copper shorting ring, and vented double magnet shield.

Tweeter: High quality 1" doped fabric dome, Ferro fluid cooled with double magnet shield.

Crossover Point: 1.8kHz.

Impedance: Nominally 6 Ohms.

Enclosure Type: Bass reflex, front vented.

Krix Dynamix On-Wall Speaker

Product Specifications



Dimensions: 355mm high x 245mm wide x 200mm deep at the top, and 110mm deep at the bottom (including grille).

Material: 12mm MDF with internal bracing.

Finish: Vinyl or lacquered timber veneer.

Volume: 8 litres internal.

Weight: 6kg each.

Mounting: Key-hole style bracket (supplied) that mounts to rear of cabinet.

More Krix Dynamix On-wall Speaker Information:

Website Pages:

Krix Dynamix on-wall surround speaker **website page**.

<http://www.cleverhome.com.au/products/Krix-on-wall-speakers-Dynamix.shtml>

Krix Equinox bookshelf speaker **website page**.

<http://www.cleverhome.com.au/products/Krix-bookshelf-speakers-Equinox.shtml>

Krix Tryptix on-wall, on-shelf, or floor standing speaker **website page**.

<http://www.cleverhome.com.au/products/Krix-on-wall-speakers-Tryptix.shtml>

Krix home theatre, stereo and multi-room audio speakers **website page**.

<http://www.cleverhome.com.au/products/Krix-speakers.shtml>

Reviews:

Krix speaker **Reviews**.

<http://www.krix.com/Product/Reviews.aspx?p=61&c=Dynamix&y=&t=#section->

Brochures and Manuals:

Krix Dynamix on-wall speaker **Brochure**.

<http://www.cleverhome.com.au/automation/Krix-on-wall-speaker-Dynamix.pdf>

Krix home theatre, stereo and multi-room audio speakers **Brochure**.

<http://www.cleverhome.com.au/automation/Krix-loudspeakers.pdf>

Krix home theatre or stereo speaker **Owner Manual**.

<http://www.cleverhome.com.au/user/Krix-loudspeakers-owner-manual.pdf>